Author index of volume 342

Abibo Y, 100
Acevedo C, 40
Agnati LF, 300
Albino-Teixeira A, 241
Allgeier H, 61
Allievi L, 539
Altes U, 483
Alzheimer C, 349
Amann R, 357, 671
Amenta F, 719
Ameri A, 349
Amerini S, 520
Andrioli GC, 508
Angeli P, 625
Arita M, 323
Athee L, 400
Azevedo I, 153, 241
Azevedo I, 245

Barnes JM, 17
Barnes NM, 17
Barnes PJ, 90
Barthó L, 666
Baudrie V, 378
Baumann PA, 305
Bazzani C, 36
Bennett JL, 477
Bertolini A, 36
Bertrand C, 177
Birch PJ, 547
Bischoff S, 305
Bittiger H, 305
Björkman R, 171
Bjønerheim R, 429
Boer Pde, 523, 528
Boonen HCM, 462
Borton M, 130
Brasili L, 625
Brock JA, 45
Brodie MS, 660
Bruggencate G ten, 349
Bucher B, 640
Büch HP, 228
Bültmann R, 198
Burch RM, 189
Burger A, 312
Busse R, 94
Butler A, 22

Cantalamessa F, 625
Casagrande C, 539
Cavazzani P, 508
Chaouloff F, 378
Chen GZ, 477
Chiari MC, 141
Choudhary AKR, 535
Clarke DE, 9
Collin AK, 136
Collins GGS, 677
Constantine JW, 722
Cornett CM, 394
Costall B, 17
Costa M, 630
Cox HS, 328
Cox RF, 290
Craig DA, 9
Cunnane TC, 45

Daas Iden, 655
D'Agostino G, 141
Dahlman D, 605
Damsma G, 523, 528
Daniel W, 324
DeHaas C, 189
De Mey JGR, 462
Dierssen M, 559
Docherty JR, 130
Dörje F, 284
Donnerer J, 357
Dresse A, 502
Duan J, 342
Dunwiddie TV, 660

Eglen RM, 394
Eglen RM, 9
Ehrhard P, 251
Eisenhofer G, 328
Ertel PJ, 214
Esler MD, 328
Euler G von, 300

Fagg GE, 61
Feldtrauer JJ, 305
Fernandes MH, 415
Ferraro L, 300
Ferrini R, 539
Fibiger HC, 523, 528
Fink K, 53, 513
Flórez J, 559
Folghera S, 508
Forsyth KM, 483
Foster L, 477
Fredholm BB, 85
Fredow G, 271
Friebe T, 284
Frittoli E, 382
Fuxe K, 300

Galvan M, 221
Gasic S, 436
Geppetti P, 78
Giesbers I, 502
Ginneken CAM van, 146
Glaser T, 271
Glitsch HG, 598
Gobbi M, 382
Göthert M, 53, 371, 497, 508, 513
Golf S, 429
Graefe KH, 160
Grana E, 141
Guarini S, 36
Gudat F, 251
Guimarães S, 153
Gurtu S, 535
Guth BD, 422

Habermeier-Muth A, 483
Hagan RM, 22
Halbrügge T, 160
Hansson V, 429
Hara A, 100
Hashimoto H, 683
Hauser K, 305
Hayes AG, 547
Heckendorn R, 61
Hedner J, 171
Hedner T, 171
Heinämäki J, 400
Heinz G, 436
Heipel C, 566
Hellwig D, 387
Henning M, 171
Herz A, 666
Heusch G, 206, 422
Hirai K, 264
Hofmann B, 713
Horn AS, 655
Hurlé MA, 559

IJzerman AP, 336
Illes P, 490, 640
Izumi F, 323

Jackson DM, 290
Jeker A, 61
Jones BJ, 22

Karlsson G, 194
Kaumann AJ, 619
Kertscher HP, 713
Kihara M, 182
Kilbinger H, 141
Kilpatrick GJ, 22
Klebs K, 61
Klee MR, 575
Kleinbloesem C, 436
Knilans TK, 691
Koch P, 454
Koidl B, 582
Kromer W, 249
Kubo T, 182
Kügelgen I von, 198

Laakso I, 400
Lambrecht G, 146, 284
Landry Y, 177
Langer R, 312
Larsson LG, 290
Lathrop DA, 691
Laude D, 378
Lebel WS, 722
Ledda F, 520
Leikola-Pelho T, 400
Lembeck F, 357
Likungu J, 371
Limberger N, 363
Linder C, 206
Liu S, 90
Löscher W, 271
Loiacono RE, 31
Lückhoff A, 94

MacLennan SJ, 111
MacLennan SJ, 120
MacLeod KM, 605
Maggi CA, 72, 78
Majewski H, 630
Mantelli L, 520
Manzini S, 78
Martin GR, 111, 120, 378
Martin LP, 290
Marucci G, 625
Masana MI, 40
Massotte L, 502
Matsui Y, 264
Matsumura H, 100
Maura G, 508
McKinley JB, 605
Meli A, 72
Mennini T, 382
Miasiro N, 706
Michalke W, 312
Mitchelson FJ, 31
Moffat MP, 342
Molderings GJ, 371
Montaño LM, 278
Moura D, 153, 245
Mukherjee D, 535
Muscholl E, 483
Mutschler E, 146, 284

Nakashima M, 683
Nànàsi PP, 691
Naylor IL, 17
Naylor RJ, 17
Neise A, 513
Netter KJ, 234
Neumcke B, 258
Nicholson CD, 698
Nicosia S, 539
Nörenberg W, 490
Noma A, 592

Olianas MC, 107
Olpe HR, 194
Olpe HR, 61
Onali P, 107
Ono H, 441
Ostermann G, 713
Otten U, 215
Oudiz RJ, 422

Pain L, 640
Paiva ACM, 706
Panten U, 566
Parkinson FE, 85
Pasini M, 36
Patacchini R, 72, 78
Pazzagli M, 447
Pedata F, 447
Pepeu G, 447
Perkins LA, 9
Perretti F, 78
Peters T, 454
Pocchiari F, 539
Polónia JJ, 241
Portet C, 61
Pusch H, 598

Rabloczky G, 691
Racké K, 387
Raffa RB, 613
Raiteri M, 508
Reid A, 1
Rettenmayr NM, 146
Ricci A, 719
Riezen Hvan, 61
Rijntjes NVM, 146
Rodrigues de Miranda JF, 146
Rogers H, 547
Rollema H, 655

Rosenberger F, 566
Ross SB, 290
Rubino A, 520
Rubio MC, 40
Rudd JA, 17
Rummel J, 228
Russel FGN, 146

Santiago M, 407
Santicioli P, 78
Satake M, 323
Satoh N, 683
Sawynok J, 1
Schäfer S, 206
Schalnus R, 508
Scheffer K, 566
Schlicker E, 53, 497, 508, 513
Schmutz M, 61
Schömig E, 160
Schönfeld CL, 160
Schreibmayer W, 582
Schröder H, 616
Schrör K, 616
Schudt C, 221
Schuligoi R, 357
Schultheiss A, 469
Schulz R, 422
Schunack W, 497
Schwanstecher C, 566
Scuvée-Moreau J, 502
Segura P, 278
Selman M, 278
Semeraro C, 539
Seth S, 535
Setler PE, 613
Seutin V, 502
Shahid M, 698
Shimamura K, 554
Singer EA, 363
Sinha JN, 535
Smallwood JHK, 214
Soares-da-Silva P, 415
Sprecher G von, 305
Ståhle L, 136
Starke K, 45, 198, 363, 623
Steinberg MI, 214
Stein C, 666
Stoclet JC, 640
Strohmann C, 146
Subissi A, 141
Suh HH, 67
Sunano S, 554
Sutor B, 349
Szabo B, 469
Tacke R, 146, 284
Tagliavini S, 36
Takahama K, 575
Takano M, 592
Tanganelli S, 300
Tepper PG, 655
Theodorsson E, 177
Till U, 713
Tilli S, 447
Timmerman W, 528, 650
Traber J, 271
Tramontana M, 78
Trendelenburg U, 160, 245
Tritthart HA, 582
Tschercansky D, 40
Tschirhart E, 177
Tseng LF, 67
Tyers MB, 22

Uezono Y, 323
Ungerstedt U, 136, 300

Vanda B, 278
Vargas MH, 278
Varrò A, 691
Vasko MR, 441
Vassout A, 61
Vaught JL, 613
Voorschuur AH, 336
Vries JBde, 528, 650

Wada A, 323
Waldmeier PC, 305
Walsh LKM, 9
Wardell CF, 45
Waszczak BL, 290
Weik R, 258
Werner K, 371
Wess J, 625
Wessler I, 387
Westerink BHC, 407
Westerink BHC, 523, 528, 650
Whiting RL, 9, 394
Wilffert B, 454
Wilhelm D, 454
Witte U, 271
Wolf P, 582
Woody HA, 722

Yacoub M, 90
Yamagami I, 264
Yanagawa Y, 323

Zünkler BJ, 566
Zylka C, 598

Subject index of volume 342

A 23187, calcium antagonists, R 71811, cell death, calcium overload; rat glial cell cultures, 264
acetylcholine release, epithelium-derived inhibition; trachea, guinea-pig, 387
acetylcholine release, muscarine autoreceptors; trachea, guinea-pig, 141
acetylcholine release, noradrenaline release, cholinergic-adrenergic interaction, M1 muscarine receptors; atria, rabbit, 483
acetylcholine release, tacrine, muscarine receptors, nicotine cholinoceptors; brain cortical slices, rats, 31
ach-like substances, chloride current, piperidine; aplysia neurons, 575
ACTH, muscarinic receptors, hemorrhagic shock; brain, rats, 36
adenosine analogues, adenosine receptors, adenylate cyclase; atria, rabbit, 605
adenosine, calcitonin gene-related peptide, neurotransmission; atria, guinea-pig, 520
adenosine neuromodulation, purine release; brain tissues, rats, 447
adenosine receptors, adenylate cyclase, adenosine analogues; atria, rabbit, 605
adenosine receptors, G-protein, CGS 21680; neostriatum, rats, 85
adenosine, substance P, antinociceptive effects; spinal cord slices, rats, 441
adenylate cyclase, adenosine analogues, adenosine receptors; atria, rabbit, 605
adenylate cyclase, muscarinic receptors; olfactory bulb, rats, 107
adenylate cyclase, noradrenaline release, cAMP, B-HT 933; tail arteries, rats, 640
adrenaline, glucose, 5-HT receptor subtypes; rats, 378
adrenoceptors, coronary vasoconstriction; pig, 422
ageing, 5-hydroxytryptamine receptors; vas deferens, rats, 130
airways smooth muscle tone, capsaicin, calcitonin gene-related peptide; trachea, guinea-pig, 177
alpha 2 adrenoceptors, 5-HT release; human cerebral cortex, 508
alpha 2 adrenoceptors, opioid receptors, receptor interaction; locus coeruleus, rats, 490
alpha2-adrenoceptor subtypes, noradrenaline release, serotonin release; rat brain cortex synaptosomes, 382
alpha 2-autoinhibition, stimulus-secretion coupling, sympathetic nerves; vas deferens, guinea-pig, 45
alpha 2 receptors, D2 receptors, BHT 920; brain, rats, 502
anaesthesia, halothane, dopamine; striatum, rats, 136
analgesia, beta-endorphin, CTOP, ICI 174864, ICI 154129, opioid receptors; analgesia tests, mice, 67
anterograde amnesia, memory, loreclezole, anticonvulsants; passive avoidance test, rats, 613
antiarrhythmic drugs, electrophysiology, restacorin; purkinje fibres, dog, 691
anticonvulsants, anterograde amnesia, memory, loreclezole; passive avoidance test, rats, 613
anticonvulsants, NMDA receptor antagonists, CGP 37849, CGP 39551; electroshock, rodents, 61
antinociception, diclofenac, naloxone, morphine; noxious stimuli, rats, 171
antinociception, 5-hydroxytryptamine, 5,7-dihydroxytryptamine, supersensitivity; intrathecal injection, rats, 1
antinociceptive effects, adenosine, substance P; spinal cord slices, rats, 441
antischistosomal drugs, mevinolin, HMG-CoA reductase; schistosoma mansoni, mice, 477
arrhythmias, automaticity, phosphatidylcholine; ventricular tissue, guinea-pig, 342
ATP, potassium channel, glibenclamide, electrophysiology; ischaemia, rabbit, dog, 214
ATP, tolbutamine, K-channels; pancreatic B-cells, mice, 566
ATP, UTP, interaction, surimin, purine nucleotide receptors; vas deferens, mice, 198
automaticity, phosphatidylcholine, arrhythmias; ventricular tissue, guinea-pig, 342
autoradiography, dopamine DA-1 receptors, renin release; kidney juxtaglomerular cells, rats, 719
autoradiography, neuronal uptake, noradrenaline; vas deferens, rats, 245

baclofen, CGP 35348, long-term potentiation, synaptic plasticity, GABA receptors; hippocampus, rats, 194
baroreceptor reflex, neuropeptides; nucleus tractus solitarii, rats, 182
Bay K 8644, calcium channels, sufentanil, nimodipine, opiate receptors, dihydropyridines; tail flick test, rats, 559
Bay K 8644, spontaneous contractions, electrical activities; portal vein, rats, 554
Bay Vq 7813, 5-HT receptors; behavioural responses, pig, 271
bepridil, ischaemia, infarction, intraventricular conduction; myocardium, dog, 683
beta-adrenoceptors, pindolol; human heart tissues, 429
beta-endorphin, CTOP, ICI 174864, ICI 154129, opioid receptors, analgesia; analgesia tests, mice, 67
BHT 920, alpha 2 receptors, D2 receptors; brain, rats, 502
B-HT 933, adenylate cyclase, noradrenaline release, cAMP; tail arteries, rats, 640
biogenic amines, transport kinetics, reserpine; bovine chromaffine granules, 312
biotransformation, capsaicinoids, gastrointestinal absorption; intragastric administration, rats, 357
bradykinin antagonists, NPC 567, carrageenan edema; paws, rats, 189
bromocriptine, dopamine receptors; behavioural effects, mice, electrophysiologic experiments, rats, 290
bronchoconstriction, histamine, vagus, leukotrienes; bronchus, guinea-pig, 278

Ca-entry blockers, noradrenaline; aorta, rats, 454
calcitonin gene-related peptide, airways smooth muscle tone, capsaicin; trachea, guinea-pig, 177
calcitonin gene-related peptide, capsaicin, endothelium, substance P; pulmonary artery, guinea-pig, 78
calcitonin gene-related peptide, neurotransmission, adenosine; atria, guinea-pig, 520
calcium antagonists, R 71811, cell death, calcium overload, A 23187; rat glial cell cultures, 264
calcium channels, sufentanil, nimodipine, opiate receptors, dihydropyridines, Bay K 8644; tail flick test, rats, 559
calcium, dopaminergic-cholinergic interaction; brain microdialysis, rats, 528
calcium, endothelium-derived relaxing factor, potassium channel; porcine aorta endothelial cells, 94
calcium, neurotransmitter release, dopaminergic regulation; striatum, rats, microdialysis, 523
calcium overload, A 23187, calcium antagonists, R 71811, cell death; rat glial cell cultures, 264
cAMP, B-HT 933, adenylate cyclase, noradrenaline release; tail arteries, rats, 640
cAMP, neuronal excitability, phosphodiesterase, denbufylline; hippocampus, guinea-pig, 349
cAMP, noradrenaline release, muscarinic receptors; atria, mice, 630
cancer chemotherapy, 5-hydroxytryptamine receptors, zacopride, emesis; brain stem, ferret, 17
capsaicin, calcitonin gene-related peptide, airways smooth muscle tone; trachea, guinea-pig, 177
capsaicin, desensitization, temperature dependency; urinary bladder, rats, 671
capsaicin, endothelium, substance P, calcitonin gene-related peptide, pulmonary artery, guinea-pig, 78
capsaicin, inflammatory hyperalgesia, morphine antinociception; rat paw, 666
capsaicinoids, gastrointestinal absorption, biotransformation; intragastric administration, rats, 357
capsaicin, sensory receptors, pungent substances; urinary bladder, rats, 72
carrageenan edema, bradykinin antagonists, NPC 567; paws, rats, 189
catecholamine secretion, conotoxin, sodium channels; bovine adrenal medullary cells, 323

catecholamines, sympathetic nerve endings, noradrenaline; vas deferens, guinea-pig, 153
cell death, calcium overload, A 23187, calcium antagonists, R 71811; rat glial cell cultures, 264
cGMP, cytochrome P-450, glyceryl trinitrate, nitric oxide; kidney epithelial cell culture, 616
CGp 28014, O-methyl-transferase, Parkinson's disease; rats, 305
CGP 35348, long-term potentiation, synaptic plasticity, GABA receptors, baclofen; hippocampus, rats, 194
CGP 37849, CGP 39551, anticonvulsants, NMDA receptor antagonists; electroshock, rodents, 61
CGP 39551, anticonvulsants, NMDA receptor antagonists, CGP 37849; electroshock, rodents, 61
CGS 21680, adenosine receptors, G-protein; neostriatum, rats, 85
chloride current, piperidine, ach-like substances; aplysia neurons, 575
cholecystokinin, dopamine autoreceptors; neostriatum, rats, 300
cholinergic-adrenergic interaction, M1 muscarine receptors, acetylcholine release, noradrenaline release; atria, rabbit, 483
cocaine, dopamine, dopamine autoreceptors; brain slices, rats, 660
conotoxin, sodium channels, catecholamine secretion; bovine adrenal medullary cells, 323
contractile responses, G-proteins; enteric resistance arteries, rats, 462
contraction, endothelin-1, desensibilisation, sodium ions; guinea-pig ileum, 706
contraction, 5-HT 1-like receptors, 5-HT 2 receptors, ergot alkaloids; vascular smooth muscle, rabbit, 120
coronary occlusion, xamoterol, reperfusion; canine myocardium, 206
coronary vasoconstriction, adrenoceptors; pig, 422
CTOP, ICI 174864, ICI 154129, opioid receptors, analgesia, beta-endorphin; analgesia tests, mice, 67
cytochrome P-450, glyceryl trinitrate, nitric oxide, cGMP; kidney epithelial cell culture, 616
cytochrome P-450, interaction, imipramine, lithium; long term treatment, rats, 234

D2 agonists, dopamine release; brain microdialysis, rats, 650
D2 receptors, BHT 920, alpha 2 receptors; brain, rats, 502
denbufylline, cAMP, neuronal excitability, phosphodiesterase; hippocampus, guinea-pig, 349
desensibilisation, sodium ions, contraction, endothelin-1; guinea-pig ileum, 706
desensitisation, 5-hydroxytryptamine receptors, receptor discrimination; ileum, guinea-pig, 9
desensitization, temperature dependency, capsaicin; urinary bladder, rats, 671
desipramine, sympathetic nerve activity; circulation, rabbit, 469
diclofenac, naloxone, morphine, anti-nociception; noxious stimuli, rats, 171
dihydrobufalin, steroids cardioactives, sodium-potassium transport; Purkinje fibres, sheep, 598
dihydropyridines, Bay K 8644, calcium channels, sufentanil, nimodipine, opiate receptors; tail flick test, rats, 559
5,7-dihydroxytryptamine, supersensitivity, antinociception, 5-hydroxytryptamine; intrathecal injection, rats, 1
dopamine agonists, N-0437, prodrugs; transdermal administration, rats, 655
dopamine, anaesthesia, halothane; striatum, rats, 136
dopamine autoreceptors, cholecystokinin; neostriatum, rats, 300
dopamine autoreceptors, cocaine, dopamine; brain slices, rats, 660
dopamine DA-1 receptors, renin release, autoradiography; kidney juxtaglomerular cells, rats, 719
dopamine, dopamine autoreceptors, cocaine; brain slices, rats, 660
dopamine metabolism, nicotine; striatum, mice, 400
dopamine receptor agonists, receptor binding studies; splenic artery, rabbit atrium, cat, 539
dopamine receptors; bromocriptine, behavioural effects, mice, electrophysiologic experiments, rats, 290
dopamine release, D2 agonists; brain microdialysis, rats, 650
dopamine release, microdialysis cannula types; striatum, rats, 407
dopamine release, pinacidil, potassium channels, noradrenaline release; vas deferens, rats, 415
dopaminergic-cholinergic interaction, calcium; brain microdialysis, rats, 528
dopaminergic regulation, calcium, neurotransmitter release; striatum, rats, micrdialysis, 523
electrical activities, Bay K 8644, spontaneous contractions; portal vein, rats, 554
electrophysiology, ATP, potassium channel, glibenclamide; ischaemia, rabbit, dog, 214

electrophysiology, restacorin, antiarrhythmic drugs; purkinje fibres, dog, 691
emesis, cancer chemotherapy, 5-hydroxytryptamine receptors, zacopride; brain stem, ferret, 17
enantio-selectivity, muscarinic receptor subtypes, muscarinic agonists; pithed rat, 625
endothelin-1, desensibilisation, sodium ions, contraction; guinea-pig ileum, 706
endothelium-derived relaxing factor, potassium channel, calcium; porcine aorta endothelial cells, 94
endothelium, substance P, calcitonin gene-related peptide, capsaicin, pulmonary artery, guinea-pig, 78
energy metabolism, magnesium, ischaemia, heart, rats, 100
epithelium-derived inhibition, acetylcholine release; trachea, guinea-pig, 387
ergot alkaloids, contraction, 5-HT 1-like receptors, 5-HT 2 receptors; vascular smooth muscle, rabbit, 120
Erratum, 342, 249: 341, 450–454

GABA receptors, baclofen, CGP 35348, long-term potentiation, synaptic plasticity; hippocampus, rats, 194
gastrointestinal absorption, biotransformation, capsaicinoids; intragastric administration, rats, 357
glibenclamide, electrophysiology, ATP, potassium channel; ischaemia, rabbit, dog, 214
glucose, 5-HT receptor subtypes, adrenaline; rats, 378
glyceryl trinitrate, nitric oxide, cGMP, cytochrome P-450; kidney epithelial cell culture, 616
glycine site agonists and antagonists, NMDA receptors, polysynaptic excitation; olfactory cortex, mice, 677
G-protein, CGS 21680, adenosine receptors; neostriatum, rats, 85
G-proteins, contractile responses; enteric resistance arteries, rats, 462
GR 67330, 5-HT3 receptors; brain, vagus nerve, rats, 22

halothane, dopamine, anaesthesia; striatum, rats, 136
hemorrhagic shock, ACTH, muscarinic receptors; brain, rats, 36
hexahydro-sila-difenidol, sila-drugs, pharmacokinetics; body autoradiography, rats, 146
histamine H3 receptors, noradrenaline release; retina, pig, 497
histamine H3 receptors, serotonin release, thioperamide; brain cortex, rats, 513
histamine, mepyramine; human bronchial arteries, 90
histamine, vagus, leukotrienes, bronchoconstriction; bronchus, guinea-pig, 278
HMG-CoA reductase, antischistosomal drugs, mevinolin; schistosoma mansoni, mice, 477
ergot alkaloids, contraction; vascular smooth muscle, rabbit, 120
5-HT 2 receptors, ergot alkaloids, contraction, 5-HT 1-like receptors; vascular smooth muscle, rabbit, 120
5-HT3 receptors, GR 67330; brain, vagus nerve, rats, 22
5-HT4-like receptors, inotropic effects, 5-HT; piglet sinoatrial node, 619
5-HT, 5-HT4-like receptors, inotropic effects; piglet sinoatrial node, 619
5-HT receptors, Bay Vq 7813; behavioural responses, pig, 271
5-HT receptor subtypes, adrenaline, glucose; rats, 378

5-HT release, alpha 2 adrenoceptors; human cerebral cortex, 508
5-hydroxytryptamine receptor, receptor classification, saphenous vein, rabbit, 111
5-hydroxytryptamine receptors, ageing; vas deferens, rats, 130
5-hydroxytryptamine receptors, receptor discrimination, desensitisation; ileum, guinea-pig, 9
5-hydroxytryptamine receptors, zacopride, emesis, cancer chemotherapy; brain stem, ferret, 17
5-hydroxytryptamine, 5,7-dihydroxytryptamine, supersensitivity, antinociception; intrathecal injection, rats, 1
6-hydroxydopamine, natriuretic peptides, ventricular granules; sympathetic denervation, rats, 241
hypoglycaemia, receptor desensibilization, neurotoxicity, hypoxia; hippocampus, mongolian gerbils, 547
hypoxia, hypoglycaemia, receptor desensibilization, neurotoxicity; hippocampus, mongolian gerbils, 547

ICI 154129, opioid receptors, analgesia, beta-endorphin, CTOP, ICI 174864; analgesia tests, mice, 67
ICI 174864, ICI 154129, opioid receptors, analgesia, beta-endorphin, CTOP; analgesia tests, mice, 67
imipramine, lithium, cytochrome P-450, interaction; long term treatment, rats, 234
infarction, intraventricular conduction, bepridil, ischaemia; myocardium, dog, 683
inflammatory hyperalgesia, morphine antinociception, capsaicin; rat paw, 666
In memoriam — NK Andèn, 623
inotropic effects, 5-HT, 5-HT4-like receptors; piglet sinoatrial node, 619
inotropism, Org 30029, PDE isoenzyme inhibitors; papillary muscle, rats, rabbit, 698
interaction, imipramine, lithium, cytochrome P-450; long term treatment, rats, 234
interaction, surimin, purine nucleotide receptors, ATP, UTP; vas deferens, mice, 198
intraventricular conduction, bepridil, ischaemia, infarction; myocardium, dog, 683
ionisation, pH-dependency, nucleoside transport inhibitors; calf lung tissue membranes, 336
ischaemia, energy metabolism, magnesium, heart, rats, 100
ischaemia, infarction, intraventricular conduction, bepridil; myocardium, dog, 683

K-channels, ATP, tolbutamine; pancreatic B-cells, mice, 566
K-channels, nicorandil; cardiac cell membranes, guinea-pig, 592
ketamine, opioid receptors; cardiovascular effects, cat, 535
KO-286011, platelet-activating factor antagonists; human and rabbit platelets, 713

leukotrienes, bronchoconstriction, histamine, vagus; bronchus, guinea-pig, 278
LG 83-6-05, sodium current, sodium-channel blocker; cardiomyocytes, rats, guinea-pig, 582
lithium, cytochrome P-450, interaction, imipramine; long term treatment, rats, 234
long-term potentiation, synaptic plasticity, GABA receptors, baclofen, CGP 35348; hippocampus, rats, 194
loreclezole, anticonvulsants, anterograde amnesia, memory; passive avoidance test, rats, 613

M1 muscarine receptors, acetylcholine release, noradrenaline release, cholinergic-adrenergic interaction; atria, rabbit, 483
magnesium, ischaemia, energy metabolism, heart, rats, 100
memory, loreclezole, anticonvulsants, anterograde amnesia; passive avoidance test, rats, 613
mepyramine, histamine; human bronchial arteries, 90
mevinolin, HMG-CoA reductase, antischistosomal drugs; schistosoma mansoni, mice, 477
microdialysis cannula types, dopamine release; striatum, rats, 407
morphine antinociception, capsaicin, inflammatory hyperalgesia; rat paw, 666
morphine, antinociception, diclofenac, naloxone; noxious stimuli, rats, 171
muscarine autoreceptors, acetylcholine release; trachea, guinea-pig, 141
muscarine receptors, nicotine cholinoceptors, acetylcholine release, tacrine; brain cortical slices, rats, 31
muscarinic agonists, enantio-selectivity, muscarinic receptor subtypes; pithed rat, 625
muscarinic receptors, adenylate cyclase; olfactory bulb, rats, 107
muscarinic receptors, cAMP, noradrenaline release; atria, mice, 630
muscarinic receptors, hemorrhagic shock, ACTH; brain, rats, 36
muscarinic receptor subtypes, muscarinic agonists, enantio-selectivity; pithed rat, 625
muscarinic receptor subtypes, para-fluoro-hexahydrosila-difenidol; trachea, guinea-pig, 394
muscarinic receptors; uterus, guinea-pig, 284

N-0437, prodrugs, dopamine agonists; transdermal administration, rats, 655
naloxone, morphine, antinociception, diclofenac; noxious stimuli, rats, 171
natriuretic peptides, ventricular granules, 6-hydroxydopamine; sympathetic denervation, rats, 241
nerve growth factor receptor; immunprecipitation assay, 251
neuronal distribution, noradrenaline; vas deferens, rats, 160
neuronal excitability, phosphodiesterase, denbufylline, cAMP; hippocampus, guinea-pig, 349
neuronal uptake, noradrenaline, autoradiography; vas deferens, rats, 245
neuropeptides, baroreceptor reflex; nucleus tractus solitarii, rats, 182
neurotoxicity, hypoxia, hypoglycaemia, receptor desensibilization; hippocampus, mongolian gerbils, 547
neurotransmission, adenosine, calcitonin gene-related peptide; atria, guinea-pig, 520
neurotransmitter release, dopaminergic regulation, calcium; striatum, rats, microdialysis, 523
nicorandil, K-channels; cardiac cell membranes, guinea-pig, 592
nicotine cholinoceptors, acetylcholine release, tacrine, muscarine receptors; brain cortical slices, rats, 31
nicotine, dopamine metabolism; striatum, mice, 400
nimodipine, opiate receptors, dihydropyridines, Bay K 8644, calcium channels, sufentanil; tail flick test, rats, 559
nitric oxide, cGMP, cytochrome P-450, glyceryl trinitrate; kidney epithelial cell culture, 616
NMDA receptor antagonists, CGP 37849, CGP 39551, anticonvulsants; electroshock, rodents, 61
NMDA receptors, noradrenaline release, veratridine; cortical slices, rats, 53
NMDA receptors, polysynaptic excitation, glycine site agonists and antagonists; olfactory cortex, mice, 677
noradrenaline accumulation; hepatocytes, rats, 40
noradrenaline, autoradiography, neuronal uptake; vas deferens, rats, 245
noradrenaline, Ca-entry blockers; aorta, rats, 454
noradrenaline, catecholamines, sympathetic nerve endings; vas deferens, guinea-pig, 153
noradrenaline, neuronal distribution; vas deferens, rats, 160
noradrenaline release, cAMP, B-HT 933, adenylate cyclase; tail arteries, rats, 640
noradrenaline release, cholinergic-adrenergic interaction, M1 muscarine receptors, acetylcholine release; atria, rabbit, 483
noradrenaline release, dopamine release, pinacidil, potassium channels; vas deferens, rats, 415
noradrenaline release, histamine H3 receptors; retina, pig, 497
noradrenaline release, muscarinic receptors, cAMP; atria, mice, 630
noradrenaline release, serotonin receptor subtypes; human saphenous vein, 371
noradrenaline release, serotonin release, alpha2-adrenoceptor subtypes; rat brain cortex synaptosomes, 382
noradrenaline release, veratridine, NMDA receptors; cortical slices, rats, 53

noradrenaline reuptake-release; sympathetic system, rabbit, 328
NPC 567, carrageenan edema, bradykinin antagonists; paws, rats, 189
nucleoside transport inhibitors, ionisation, pH-dependency; calf lung tissue membranes, 336

O-methyl-transferase, Parkinson's disease, CGp 28014; rats, 305
opiate receptors, dihydropyridines, Bay K 8644, calcium channels, sufentanil, nimodipine; tail flick test, rats, 559
opioid receptors, analgesia, beta-endorphin, CTOP, ICI 174864, ICI 154129; analgesia tests, mice, 67
opioid receptors, ketamine; cardiovascular effects, cat, 535
opioid receptors, receptor interaction, alpha 2 adrenoceptors; locus coeruleus, rats, 490
Org 30029, PDE isoenzyme inhibitors, inotropism; papillary muscle, rats, rabbit, 698

para-fluoro-hexahydrosila-difenidol, muscarinic receptor subtypes; trachea, guinea-pig, 394
Parkinson's disease, CGp 28014, O-methyl-transferase; rats, 305
PDE isoenzyme inhibitors, inotropism, Org 30029; papillary muscle, rats, rabbit, 698
pharmacokinetics, hexahydro-sila-difenidol, sila-drugs; body autoradiography, rats, 146
pH-dependency, nucleoside transport inhibitors, ionisation; calf lung tissue membranes, 336
phosphatidylcholine, arrhythmias, automaticity; ventricular tissue, guinea-pig, 342
phosphodiesterase, denbufylline, cAMP, neuronal excitability; hippocampus, guinea-pig, 349
phosphodiesterase, zardaverine; ventricular muscle, guinea-pig, 221
pinacidil, potassium channels, noradrenaline release, dopamine release; vas deferens, rats, 415
pindolol, beta-adrenoceptors; human heart tissues, 429
piperidine, ach-like substances, chloride current; aplysia neurons, 575
platelet-activating factor antagonists, KO-286011; human and rabbit platelets, 713
polysynaptic excitation, glycine site agonists and antagonists, NMDA receptors; olfactory cortex, mice, 677
potassium channel, calcium, endothelium-derived relaxing factor; porcine aorta endothelial cells, 94
potassium channel, glibenclamide, electrophysiology, ATP; ischaemia, rabbit, dog, 214
potassium channel openers, RP 49356; skeletal muscle, mice, 258
potassium channels, noradrenaline release, dopamine release, pinacidil; vas deferens, rats, 415
procaine absorption, procaine metabolism; small intestine, rats, 228
procaine metabolism, procaine absorption; small intestine, rats, 228
prodrugs, dopamine agonists, N-0437; transdermal administration, rats, 655
pungent substances, capsaicin, sensory receptors; urinary bladder, rats, 72
purine nucleotide receptors, ATP, UTP, interaction, surimin; vas deferens, mice, 198
purine release, adenosine neuromodulation; brain tissues, rats, 447

R 71811, cell death, calcium overload, A 23187, calcium antagonists; rat glial cell cultures, 264
receptor binding studies, dopamine receptor agonists; splenic artery, rabbit atrium, cat, 539
receptor classification, 5-hydroxytryptamine receptor, saphenous vein, rabbit, 111
receptor desensibilization, neurotoxicity, hypoxia, hypoglycaemia; hippocampus, mongolian gerbils, 547
receptor discrimination, desensitisation, 5-hydroxytryptamine receptors; ileum, guinea-pig, 9
receptor interaction, alpha 2 adrenoceptors, opioid receptors; locus coeruleus, rats, 490
renin-angiotensin system, vascular tone; human leg, 436
renin release, autoradiography, dopamine DA-1 receptors; kidney juxtaglomerular cells, rats, 719
reperfusion, coronary occlusion, xamoterol; canine myocardium, 206
reserpine, biogenic amines, transport kinetics; bovine chromaffine granules, 312
restacorin, antiarrhythmic drugs, electrophysiology; purkinje fibres, dog, 691
RP 49356, potassium channel openers; skeletal muscle, mice, 258

sensory receptors, pungent substances, capsaicin; urinary bladder, rats, 72
serotonin autoreceptors, serotonin uptake; brain cortex, rabbit, 363
serotonin receptor subtypes, noradrenaline release; human saphenous vein, 371
serotonin release, alpha2-adrenoceptor subtypes, noradrenaline release; rat brain cortex synaptosomes, 382
serotonin release, thioperamide, histamine H3 receptors; brain cortex, rats, 513
serotonin uptake, serotonin autoreceptors; brain cortex, rabbit, 363
sila-drugs, pharmacokinetics, hexahydro-sila-difenidol; body autoradiography, rats, 146
sodium-channel blocker, LG 83-6-05, sodium current; cardiomyocytes, rats, guineapig, 582
sodium channels, catecholamine secretion, conotoxin; bovine adrenal medullary cells, 323
sodium current, sodium-channel blocker, LG 83-6-05; cardiomyocytes, rats, guinea-pig, 582
sodium ions, contraction, endothelin-1, desensibilisation; guinea-pig ileum, 706
sodium-potassium transport, dihydrobufalin, steroids cardioactives; Purkinje fibres, sheep, 598
spontaneous contractions, electrical activities, Bay K 8644; portal vein, rats, 554
steroids cardioactives, sodium-potassium transport, dihydrobufalin; Purkinje fibres, sheep, 598
stimulus-secretion coupling, sympathetic nerves, alpha 2-autoinhibition; vas deferens, guinea-pig, 45
substance P, antinociceptive effects, adenosine; spinal cord slices, rats, 441
substance P, calcitonin gene-related peptide, capsaicin, endothelium, pulmonary artery, guinea-pig, 78
sufentanil, nimodipine, opiate receptors, dihydropyridines, Bay K 8644, calcium channels; tail flick test, rats, 559
supersensitivity, antinociception, 5-hydroxytryptamine, 5,7-dihydroxytryptamine; intrathecal injection, rats, 1
surimin, purine nucleotide receptors, ATP, UTP, interaction; vas deferens, mice, 198
sympathetic nerve activity, desipramine; circulation, rabbit, 469
sympathetic nerve endings, noradrenaline, catecholamines; vas deferens, guinea-pig, 153
sympathetic nerves, alpha 2-autoinhibition, stimulus-secretion coupling; vas deferens, guinea-pig, 45
synaptic plasticity, GABA receptors, baclofen, CGP 35348, long-term potentiation; hippocampus, rats, 194

tachykinin receptors; aorta smooth muscles, rabbit, 722
tacrine, muscarine receptors, nicotine cholinoceptors, acetylcholine release; brain cortical slices, rats, 31
temperature dependency, capsaicin, desensitization; urinary bladder, rats, 671
thioperamide, histamine H3 receptors, serotonin release; brain cortex, rats, 513
tolbutamine, K-channels, ATP; pancreatic B-cells, mice, 566
transport kinetics, reserpine, biogenic amines; bovine chromaffine granules, 312

UTP, interaction, surimin, purine nucleotide receptors, ATP; vas deferens, mice, 198

vagus, leukotrienes, bronchoconstriction, histamine; bronchus, guinea-pig, 278
vascular tone, renin-angiotensin system; human leg, 436
ventricular granules, 6-hydroxydopamine, natriuretic peptides; sympathetic denervation, rats, 241
veratridine, NMDA receptors, noradrenaline release; cortical slices, rats, 53

xamoterol, reperfusion, coronary occlusion; canine myocardium, 206

zacopride, emesis, cancer chemotherapy, 5-hydroxytryptamine receptors; brain stem, ferret, 17
zardaverine, phosphodiesterase; ventricular muscle, guinea-pig, 221

450–454, 342; Erratum, 249